

EM MYTH BUSTING I FIND YOURLACK OF EBM DSURBING









An Observational Study of 2,248 Patients Presenting With Headache, Suggestive of Subarachnoid Hemorrhage, Who Received Lumbar Punctures Following Normal Computed Tomography of the Head

SAYER ET AL AEM 2015











ONE PATIENT WOULD BE DIAGNOSED WITH SAH OUT OF EVERY 250 PATIENTS RECEIVING A LP WHO PRESENTED TO THE ED WITH A HA THAT DID NOT HAVE THER BLEED DENTIFIED ON GT SCAN.

LP POST CT TO RULE OUT SAH

Patient Provider EB

Literature

SGEM#134: LISTEN, TO WHAT THE BRITISH DOCTORS SAY ABOUT LPS POST CT FOR SAH






MESA THINKS AGLS WORKS




Prehospital Advanced Cardiac Life Support for Out-of-hospital Cardiac Arrest: A Cohort Study









CANDIDATE PATIENTS, THERE IS NO EVIDENCE THAT ACLS PROVIDES A PATIENT ORIENTED






Patient Provider EBN


Literature


SCEM#189: BRING ME TO LIFE OHCA














APNEIC OXYCENATION MAY STILL HAVE A ROLE DURING RSI OF ED PATIENTS BUT IT LIKELY ADDS LITTLE WHEN PROPER PRE-OXGENATION STRATEGIES ARE USED.



APNEIC OXYGENATION FOR 251

Patient Provider **EBM**

Literature

SGEM#185: APNEIC AND THE 02 - FOR RSI









Original Investigation


Effect of Dilute Apple Juice and Preferred Fluids vs Electrolyte Maintenance Solution on Treatment Failure Among Children With Mild Gastroenteritis A Randomized Clinical Trial











OFFERING HALF-STRENGTH APPLE JUCE AND PREFERRED FLUIDS COMPARED TO ELECTROLYTE SOLUTIONS IS A BETTER CHOICE.


1/2 STRENGTH APPLE JUICE OR PREFERRED FLUID5

Patient Provider EBM

Literature

SGEM#158: TEMPTED BY THE FRUIT OF ANOTHER





THERAPEUTIC HYPOTHERMIA FOR OHCA

•




Circulation

ORIGINAL RESEARCH ARTICLE


Cardiac Arrest Using a Rapid Infusion of Cold Saline The RINSE Trial (Rapid Infusion of Cold Normal Saline)

Induction of Therapeutic Hypothermia During Out-of-Hospital

BERNARD ET AL CIRCULATION 2015







THERAPEUTIC HYPOTHERMIA

THERE IS NO GOOD EVIDENCE FOR PRE-HOSPITAL COOLING FOR PATIENTS WITH OHCA



Patient Provider **EBM**

Literature

SGEM#183: DON'T RINSE, DON'T REPEAT






imgflip.com


IL STUDY P VITAMIN C CAN CURE SEPSIS



Hydrocortisone, Vitamin C and Thiamine for the Treatment of Severe Sepsis and Septic Shock: A Retrospective Before-After Study

Paul E. Marik, MD, FCCM, FCCP, Vikramjit Khangoora, MD, Racquel Rivera, Pharm D, Michael H. Hooper, M.D., MSc, John Catravas, PhD, FAHA, FCCP





VIT C PROTOCOL WAS ASSOCIATED WITH LOWER MORTALITY IN SEVERE SEPTIC AND SEPTIC SHOCK PATIENTS IN THIS ONE SMALL, SINGLE CENTER RETROSPECTIVE STUDY BUT CAUSATION HAS VET TO BE

DEMONSTRATED.



VITAMIN C PROTOCOL FOR SEPSIS

Patient EBM

Provider

Literature







A LONG TIME AGO IN A GALAXY FAR EAR AWAY ...



TWENTIETH CENTURY FOX-means ILUCASFILM LTD. HUMANN STAR WARS EPISODE IV A NEW HOPE Buinne Mark Hamill Harrison Ford Carrie Fisher Peter Cushing III August Countiess Weißhwigeorge Vocas Knimproary Kurtz Misjohn Williams

SUMMARY

IP POST CT - NOT NECESSARY ACLS FOR OHCA - NO BENEFIT APNEIC OZ IN RSI - NO BENEFIT PED GASTRO - 1/2 APPLE JUICE THERAPEUTIC HYPOTHERMIA- NO VIT C - DON'T BELEIVE THE HYPE







Ken Milne <u>www.TheSGEM.com</u>

